



Colonel Logan

ORNAMENTAL IRON

Columns • Railing • Ornaments • Accessories


PRICE LIST — BULLETIN 17



Standard sizes save you up to 1/3 over custom-styled installations

A.I.A.
FILE
No. 15

The Quality Line . . .




Colonel Logan STANDARD SIZE

ORNAMENTAL IRON

*The low cost way to add a touch
of gracious charm to your home*



© Logan Co. 1966



Traditionally, the rich beauty of Ornamental iron is a mark of gracious, leisurely living. Centuries of fine craftsmanship have gone into its development, and original hand-made designs were luxurious both in appearance and cost. Today, Colonel Logan Ornamental Iron retains the *look* of hand-crafted luxury, but is low in cost because it's STANDARD SIZE . . . produced from original designs by Colonel Logan's fast, modern methods.


Colonel Logan Ornamental Iron is available in a wide choice of easy-to-install standard size columns, railings and matching accessories. Beautiful on new homes in every price range, every type of architecture, Colonel Logan Ornamental Iron is a low cost way to add distinction to home improvement plans as well.

Your dealer will be pleased to show you the complete Colonel Logan line. He can help you select a design to fit your plans perfectly. Visit your dealer. Ask for ideas and estimates without obligation.

All Wrought Iron Columns and Accessories, Porch and Step Railing (both Standard and Commercial) are available at small extra cost in zinc plating as extra protection against extreme weather and salt spray conditions. Ask your dealer.

HOME OF
Colonel Logan ORNAMENTAL IRON

Since 1876
LOGAN CO.
LOUISVILLE



CHECK THESE FAMOUS *Colonel Logan* QUALITY FEATURES

- PHOSPHATE CLEANING of all stock items forms a tough paint bond for lasting adhesion; resists corrosion even if surface is scratched.
- LOGAN MINIARC WELD on both columns and railings is smooth, clean, slag-free. No weld residue to chip off to mar finish paint or expose metal.
- Columns have adjustable base and standard fittings to simplify installation.
- Fully tested to exceed all load bearing requirements.
- Exclusive top attachment plate on all 9" and 12" porch columns makes installation easier, more secure.
- All Logan cast iron designs are double faced for deluxe appearance.
- All scroll designs in columns both wrought and cast, are carefully centered between the vertical supports — a mark of fine craftsmanship.



Colonel Logan LOW COST

ORNAMENTAL IRON

AWNING COLUMNS



NOTE:


Columns A-6 and A-84 are special awning columns with 3/4" square vertical supports

Column A-1 has full 1" square vertical supports.

Standard Sizes in WROUGHT IRON

*Load bearing capacities of all columns have a safety factor of 2

● Available zinc plated for protection against salt spray.




SMALL "S"		SCROLL DIAMOND		LARGE "S"		Name Type Number	LARGE "S"		DOUBLE SCROLL		TAPERED TWIST		MODERN SCROLL		CANE SCROLL	
Single	Corner	Single	Corner	Single	Corner		Single	Corner	Single	Corner	Single	Corner	Single	Corner	Single	Corner
A-6	A-6C	A-84F	A-84C	A-1	A-1C		CP-1	CP-1C	96-N	96-NC	55-T	55-TC	25-N	25-NC	53-N	53-NC
5 1/2"	5 1/2"	8 1/2"	8 1/2"	6"	6"	Width	6"	6"	9"	9"	9"	9"	9"	9"	9"	9"
8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	Max. Height	9'6"	9'6"	9'6"	9'6"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
6'6"	6'6"	6'6"	6'6"	5'5 1/4"	5'5 1/4"	Min. Height	7'2"	7'2"	8'0"	8'0"	6'11"	6'11"	6'10"	6'10"	6'10"	6'10"
7 lbs.	12 lbs.	10 lbs.	16 lbs.	18 lbs.	28 lbs.	Weight	22 lbs.	38 lbs.	25 lbs.	43 lbs.	16 lbs.	24 lbs.	16 lbs.	25 lbs.	18 lbs.	32 lbs.
350 lbs.	2150 lbs.	350 lbs.	2150 lbs.	2000 lbs.	6540 lbs.	* Load Bearing Capacity	2000 lbs.	8000 lbs.	1650 lbs.	4650 lbs.	1900 lbs.	3100 lbs.	1800 lbs.	6540 lbs.	1800 lbs.	6540 lbs.
\$6.55	\$10.80	\$7.65	\$12.80	\$11.25	\$18.15	Price	\$13.90	\$23.35	\$15.95	\$26.80	\$9.75	\$17.05	\$9.25	\$16.30	\$9.85	\$17.20

Primed in one coat light blue-gray for decorator color — need only one coat of finish paint.


BASE PLATES SIMPLIFY INSTALLATION OF COLUMNS AND RAILINGS

No. 20 Base Plate
For surface installation of 1" tubing columns. Furnished free with each column. Wt. 2 oz. Extra Base Plates. \$0.20 ea.




No. 60 Base Plate
For surface installation of 1" tubing columns. Ideal for wind-lift areas. Anchors column to floor. Wt. 5 oz. \$0.45 ea.

CS-4 Slip Shoe
New CS-4 Slip Shoe is used to give a more finished decorative appearance to the #20 Base Plate. Wt. 12 oz. \$0.60 ea.



No. BP-1 Base Plate
For surface installation of 1" tubing columns. Designed for wind-lift areas. Add eye-appeal and rigidity to installation. Wt. 13 oz. \$1.10 ea.

No. 75 Base Plate
For surface installation of A-6 and A-84 awning columns. Designed for wind-lift areas. Included in price of column. Wt. 1 oz. Extra base plates. \$0.20 ea.




No. CS-2 Slip Shoe
A cast iron cover shoe for 1" tubing columns. Can be used for added decoration when posts set in concrete. Wt. 7 oz. \$0.40 ea.

INSTALLATION DETAILS


TOP DETAIL



BASE DETAILS




BASE DETAILS
14" adjustable base may be sawed off with a hacksaw for perfect fit



No. 20 Base Plate furnished free except A-6 and A-84F

No. 60 Base Plate purchased separately

BP-1 Base Plate purchased separately. For surface installations.




CS-2 Slip Shoe for posts set in concrete



Colonel Logan STANDARD SIZE ORNAMENTAL IRON


Standard Sizes
Save you
up to $\frac{1}{3}$ over
custom-styled
installations

All scrolls
carefully
centered between
vertical supports
for finished
appearance



Name Type Number	HALF MOON		DOUBLE SCROLL		DIAGONAL SCROLL		CRISS CROSS		MEDALLION		DOUBLE HEART		SCROLL & LEAF	
	Single 23-N	Corner 23-NC	Single 49-N	Corner 49-NC	Single 47-N	Corner 47-NC	Single 54-N	Corner 54-NC	Single 46-N	Corner 46-NC	Single 48-N	Corner 48-NC	Single 41-N	Corner 41-NC
Width	9"	9"	9"	9"	9"	9"	9"	9"	9"	9"	9"	9"	9"	9"
Max. Height	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
Min. Height	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"
Weight	20 lbs.	32 lbs.	21 lbs.	38 lbs.	21 lbs.	34 lbs.	22 lbs.	37 lbs.	21 lbs.	36 lbs.	23 lbs.	40 lbs.	22 lbs.	38 lbs.
*Load Bearing Capacity	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.
Price	\$11.65	\$19.45	\$12.55	\$21.95	\$13.05	\$22.90	\$14.55	\$25.05	\$14.85	\$25.35	\$15.25	\$26.15	\$16.05	\$27.70

NOTE: Weights shown on all items are actual shipping weights.



SPECIFICATIONS-WROUGHT IRON

Strong, all-welded construction. Columns are standard 9" and 12" widths except A-1, A-6, CP-1 and A-84 (page 3). All columns are standard 8'-0" height except special height CP-1 and 96-N recommended for carport installation (page 3). All columns on page 3 have height adjustment factors as shown; all other Colonel Logan Columns have a standard 14" adjustable base.

Posts on all 6", 9" and 12" width columns are 1" sq. heavy steel tubing. 5 $\frac{1}{2}$ " and 8 $\frac{1}{2}$ " awning columns have $\frac{3}{4}$ " sq. tubing. WROUGHT IRON SCROLL DESIGNS in columns on pages 3, 4 and 5: A-6 has $\frac{1}{4}$ " round iron; 41-N and 41-J columns have $\frac{3}{8}$ " round iron; 9" widths, 3/16" x $\frac{3}{8}$ " flat, except 43-N and 54-N which are $\frac{3}{8}$ " square iron and 25-N with $\frac{1}{8}$ " x $\frac{1}{2}$ " flat scroll material, 8 $\frac{1}{2}$ " width, $\frac{1}{2}$ " x $\frac{1}{8}$ " flat. 12" widths, 3/16" x 1" flat. (41-N leaf, 46-N and 23-N medallion, and 54-N button are shaped and formed from flat material.)

Special height columns available on request. See page 8.

COLUMNS AND ACCESSORIES IN LOW COST WROUGHT IRON



*Load bearing capacities of all columns have a safety factor of 2

- Base of column adjustable for ease of installation and perfect fit
- Phosphate cleaning plus LOGAN MINIARC WELD assure an extra tough surface for lasting resistance to corrosion
- Used by leading builders on homes in every price range
- Available zinc plated for protection against salt spray.

MODERN		Name Type Number	Width	Max. Height	Min. Height	Weight	*Load Bearing Capacity	Price
Single	Corner							
33-N	33-NC							
9"	9"							
8'0"	8'0"							
6'10"	6'10"							
22 lbs.	36 lbs.							
2000 lbs.	6540 lbs.							
\$16.70	\$29.10							

DIAGONAL SCROLL		Name Type Number	Width	Max. Height	Min. Height	Weight	*Load Bearing Capacity	Price
Single	Corner							
47-J	47-JC							
12"	12"							
8'0"	8'0"							
6'10"	6'10"							
28 lbs.	47 lbs.							
2000 lbs.	6300 lbs.							
\$16.10	\$27.85							

MEDALLION		Name Type Number	Width	Max. Height	Min. Height	Weight	*Load Bearing Capacity	Price
Single	Corner							
46-J	46-JC							
12"	12"							
8'0"	8'0"							
6'10"	6'10"							
26 lbs.	47 lbs.							
2000 lbs.	6300 lbs.							
\$16.80	\$28.60							


DOUBLE SCROLL		Name Type Number	Width	Max. Height	Min. Height	Weight	*Load Bearing Capacity	Price
Single	Corner							
49-J	49-JC							
12"	12"							
8'0"	8'0"							
6'10"	6'10"							
30 lbs.	54 lbs.							
2000 lbs.	6300 lbs.							
\$17.10	\$29.35							

DOUBLE HEART		Name Type Number	Width	Max. Height	Min. Height	Weight	*Load Bearing Capacity	Price
Single	Corner							
48-J	48-JC							
12"	12"							
8'0"	8'0"							
6'10"	6'10"							
34 lbs.	57 lbs.							
2000 lbs.	6300 lbs.							
\$18.75	\$33.20							


SCROLL & LEAF		Name Type Number	Width	Max. Height	Min. Height	Weight	*Load Bearing Capacity	Price
Single	Corner							
41-J	41-JC							
12"	12"							
8'0"	8'0"							
6'10"	6'10"							
25 lbs.	42 lbs.							
2000 lbs.	6300 lbs.							
\$19.05	\$34.65							

IMPORTANT: Zinc Plating available at small added cost on all Wrought Iron Columns, Railings and Accessories; provides extra resistance to corrosion in areas of extreme salt water spray. Ask your dealer.


BRACKETS



VALANCE



Colonel Logan Wrought Iron Columns and Standard Railing add beauty and safety to homes in every price range. Note the ornaments which carry out the Medallion design of the columns. A complete line of matching railing ornaments shown on page 11.





Colonel Logan EXQUISITE CAST IRON

All cast iron columns and accessories double face

*Load bearing capacities of all columns have a safety factor of 2

9" WIDE



9" WIDE



9" WIDE



9" WIDE



For adj.
14"

Low cost Colonel Logan Ornamental Iron provides one of the easiest, most practical ways to add classic beauty and distinction to any home — modern or traditional.

Used by leading builders to create individuality in today's smartest new homes, these attractive designs are perfect for use in home improvement as well.

- Columns have adjustable base and standard fittings to simplify installation.
- Fully tested to exceed all load bearing requirements.
- PHOSPHATE CLEANING of all columns forms a tough paint bond for lasting adhesion; resists corrosion even if surface is scratched.
- LOGAN MINIARC WELD is smooth, clean, slag-free. No weld residue to chip off to mar finish paint or expose metal.

Name	PRIMROSE		CURLY OAK		GRAPE		ROSE	
Type	Single	Corner	Single	Corner	Single	Corner	Single	Corner
Number	44-N	44-NC	17-N	17-NC	42-N	42-NC	56-N	56-NC
Width	9"	9"	9"	9"	9"	9"	9"	9"
Max. Height	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
Min. Height	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"
Weight	36 lbs.	61 lbs.	40 lbs.	69 lbs.	42 lbs.	77 lbs.	38 lbs.	50 lbs.
* Load Bearing Capacity	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.	2000 lbs.	6540 lbs.
Price	\$24.20	\$46.30	\$28.10	\$51.50	\$28.10	\$51.50	\$28.30	\$51.85

CORNER BRACKETS




Number	S-44
Size	19 1/4" x 10 1/2"
Weight	6 lbs.
Price	\$4.55

Number	S-7
Size	11" x 11"
Weight	7 1/2 lbs.
Price	\$6.40

Number	S-42
Size	16 1/2" x 8 1/2"
Weight	4 1/2 lbs.
Price	\$4.55

Number	S-56
Size	15 1/2" x 10"
Weight	5 lbs.
Price	\$4.55

VALANCES



Number	V-44
Size	20 1/4" x 4"
Weight	5 lbs.
Price	\$2.55

Number	V-17
Size	17 1/8" x 4 1/4"
Weight	5 lbs.
Price	\$2.10

Number	V-42
Size	20" x 3 1/2"
Weight	5 lbs.
Price	\$2.40

Number	V-56
Size	19 1/2" x 4 1/4"
Weight	3 lbs.
Price	\$2.95

RAILING ORNAMENTS



Number	O-44
Size	6 3/4" x 21 1/2"
Weight	6 lbs.
Price	\$3.10

Number	O-17
Size	8 1/4" x 17"
Weight	8 1/2 lbs.
Price	\$3.30

Number	O-42
Size	6 3/4" x 18 3/4"
Weight	8 lbs.
Price	\$3.10

Number	O-56
Size	8 3/8" x 15 1/4"
Weight	5 lbs.
Price	\$3.95

PORCH COLUMNS AND ACCESSORIES




**STANDARD
SIZE**
for ease of
installation

*Load bearing
capacities
of all columns
have a safety
factor of 2



GRAPE		CURLY OAK		ROSE		ORNATE CURVE	
Single	Corner	Single	Corner	Single	Corner	Single	Corner
52-J	52-JC	17-J	17-JC	56-J	56-JC	15-J	15-JC
12"	12"	12"	12"	12"	12"	12"	12"
8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"
44 lbs.	81 lbs.	41 lbs.	79 lbs.	51 lbs.	86 lbs.	52 lbs.	93 lbs.
2000 lbs.	6300 lbs.	2000 lbs.	6300 lbs.	2000 lbs.	6300 lbs.	2000 lbs.	6300 lbs.
\$30.40	\$55.95	\$30.95	\$57.55	\$31.45	\$58.10	\$33.30	\$62.25


Name
Type
Number
Width
Max. Height
Min. Height
Weight
Load Bearing *
Capacity
Price



**CORNER
BRACKETS**

S-52	S-17	S-56	S-15
19 1/2" x 12"	19" x 19"	15 1/2" x 10"	22" x 11 1/4"
8 lbs.	15 lbs.	5 lbs.	10 lbs.
\$5.10	\$8.85	\$4.55	\$6.85


Number
Size
Weight
Price



VALANCES

V-42	V-17	V-56	V-15
20" x 3 1/2"	17 1/8" x 4 1/4"	19 1/2" x 4 1/4"	19 1/2" x 5 1/4"
5 lbs.	3 lbs.	3 lbs.	6 lbs.
\$2.40	\$2.10	\$2.95	\$2.65

Number
Size
Weight
Price



**RAILING
ORNAMENTS**

O-42	O-17	O-56	O-15
6 3/4" x 18 3/4"	8 1/4" x 17"	8 3/8" x 15 1/4"	8" x 17 1/2"
8 lbs.	8 1/2 lbs.	5 lbs.	7 lbs.
\$3.10	\$3.30	\$3.95	\$3.10

Number
Size
Weight
Price

SPECIFICATIONS- CAST IRON COLUMNS

All Colonel Logan cast iron columns are 8'0" high, and 9" or 12" width as shown. All have 14" adjustable base. Ornamental cast designs are double face. Posts are 1" heavy gauge tubing. Brackets, valances and railing ornaments are double face cast iron. The entire Colonel Logan line is finished in a base of blue-gray primer.

See page 3 for installation details.

NOTE: Weights shown on all items are actual shipping weights.





Colonel Logan

DELUXE CONTOUR RAILING

The advanced new railing with
exclusive new design features
no other railing can match

Colonel Logan Contour Railing is unquestionably America's most advanced new design in railings for porch, steps and interior use. Many exclusive features make it outstanding.

It features a graceful contour top handrail that compares to the finest custom made railing on the market. Smooth contour design has no protrusions of post or fittings.

Posts are 1" sq. tube with fittings formed to same contour lines as railing. Corner posts are designed with 90° curved fittings to permit post to set diagonally at corners to add a more graceful, more deluxe appearance. Pickets are ½" sq. solid steel rod.

Quality construction features also include Logan Miniarc Weld and phosphate cleaning. Painted one shop coat gray.




Colonel Logan

SPECIAL HEIGHT COLUMNS

Colonel Logan, America's best known producer of Standard Size Ornamental Iron, features custom height columns up to 11'-0". Every column in the big Colonel Logan line, from economical wrought iron numbers to the most deluxe cast iron design, can be produced in non-standard sizes to fit YOUR specifications exactly. The only exception is the Tapered Twist column, (55-T and 55-TC) which is *not available in special height*.

Specify exact height needed when ordering, and indicate whether column is for surface installation or is to be set in concrete.



All Special Height Columns will be made with 3" space at bottom of columns unless otherwise specified.

Ask your dealer for prices on special height columns. He will help you plan your installation and advise you on design.

DELUXE POSTS FOR EVERY INSTALLATION

Porch Rail Posts are 35" long over-all —
with 3" allowance for installation in concrete.

No. P-11LT End Post (Lamb's Tongue) Wt. 4 lbs. \$4.00	No. P-22 Intermediate Post Wt. 3½ lbs. \$4.05	No. P-33 Corner Post Wt. 4 lbs. \$4.80	No. P-55 Upper Step Post Wt. 4 lbs. \$4.85	No. P-66 Left Corner Step Post Wt. 4 lbs. \$5.50	No. P-88 Right Corner Step Post Wt. 4 lbs. \$5.50

See
details
in Fig. 4
and Fig. 5,
page 9


TOP RAIL FITTINGS



No. TSF-4
Wt. 10 oz.
\$1.10



No. TSF-6L
Wt. 1½ lbs.
\$1.50



No. TSF-8R
Wt. 1½ lbs.
\$1.50





No. TLS-1
Wt. 8 oz.
\$1.00


Use with Fittings No. T-1 and
No. C-2T shown on Page 9

Use with Step Posts
Nos. P-66, P-88, P-99


NOTE: Top and Bottom Rail Fittings designed to be used in conjunction with posts




Check these deluxe features




Graceful contour top hand rail
Roll-formed with a custom-designed feel of strength and quality. Full 2" wide, 7/8" deep.




Die-formed lamb's tongue
Has pre-formed fittings that slide into contour railing sections; locks with hidden set screw on bottom fitting of post. See Fig. 4.



Corner fitting curved 90°
Corner posts designed with 90° curved fittings. Posts set diagonally at corners to add a new look of distinction.




Strong C-channel bottom construction
Adds rigid strength. Formed of sturdy steel 1/4" wide x 9/16" deep. Hidden set screw locks C-channel firmly in position on post fittings.




Contour styled fittings
All fittings formed to same contour lines as railing. Fitting elements slip snugly into railing sections to leave a smooth, unbroken line of beauty and style.


WALL AND END FITTINGS




No. T-1
Top Wall
Fitting
Wt. 2 oz.
\$0.40



No. B-2
Bottom Wall
Fitting
Wt. 1 oz.
\$0.30



No. C-2T
Top Column
Fitting
Wt. 3 oz.
\$0.45



No. DS-8
Rail Support
Wt. 8 oz.
\$1.50

Porch Rail — Plain Picket — 32" Ht.

No.	Ht.	Lgth.	Wt.	Price
D-48P	2'-5"	4'-0"	24 lbs.	11.45
D-60P	2'-5"	5'-0"	30 lbs.	14.30
D-72P	2'-5"	6'-0"	36 lbs.	17.10

Porch Rail — Alternate Twist Picket — 32" Ht.

No.	Ht.	Lgth.	Wt.	Price
D-48PT	2'-5"	4'-0"	24 lbs.	12.20
D-60PT	2'-5"	5'-0"	30 lbs.	15.25
D-72PT	2'-5"	6'-0"	36 lbs.	17.70

Step Rail — Plain Picket — 32" Ht.


No.	Ht.	Lgth.	Wt.	Price
D-48S	2'-5"	4'-0"	22 lbs.	12.65
D-60S	2'-5"	5'-0"	28 lbs.	15.75
D-72S	2'-5"	6'-0"	34 lbs.	18.80

Step Rail — Alternate Twist Picket — 32" Ht.


No.	Ht.	Lgth.	Wt.	Price
D-48ST	2'-5"	4'-0"	22 lbs.	13.95
D-60ST	2'-5"	5'-0"	28 lbs.	17.35
D-72ST	2'-5"	6'-0"	34 lbs.	20.65

For extra weather protection, Colonel Logan Deluxe Contour Railing is available in Zinc plating at slight extra cost.


BOTTOM RAIL FITTINGS




No. BSF-4
Wt. 1/2 lb.
\$0.85



No. BSF-6L
Wt. 1 lb.
\$1.20




No. BSF-8R
Wt. 1 lb.
\$1.20



No. BLS-2
Wt. 1/2 lb.
\$0.80

Use with Fitting No. B-2

Use with Step Posts
Nos. P-66, P-88, P-99




Typical installation of return using Top Rail Fitting TSF-6L.



Colonel Logan STANDARD SIZE PORCH AND STEP RAILINGS

the sturdy appearance and quality features of finest custom-made railings



Colonel Logan Porch and Step Railings are available zinc plated for protection against salt spray.




All Colonel Logan Porch and Step Railings are phosphate cleaned for lasting resistance to corrosion.

STEP RAILING

Installed Height 32"

Colonel Logan Porch and Step Railings are also available in 42" height for commercial installations (see page 13).



ALTERNATE TWIST

PORCH RAILING — ALTERNATE TWIST

No.	Ht.	Lg.	Wt.	Price
6-PT	2'5"	6'0"	38 lbs.	\$15.25
10-PT	2'5"	10'0"	62 lbs.	\$23.90

PORCH RAILING — PLAIN PICKET


No.	Ht.	Lg.	Wt.	Price
6-P	2'5"	6'0"	38 lbs.	\$14.05
10-P	2'5"	10'0"	62 lbs.	\$22.70

STEP RAILING — ALTERNATE TWIST

No.	Ht.	Lg.	Wt.	Price
6-ST	2'5"	6'0"	33 lbs.	\$16.95
10-ST	2'5"	10'0"	56 lbs.	\$26.25

STEP RAILING — PLAIN PICKET

No.	Ht.	Lg.	Wt.	Price
6-S	2'5"	6'0"	33 lbs.	\$15.50
10-S	2'5"	10'0"	56 lbs.	\$25.05



PLAIN PICKET

Porch Railings are cut to required length on the job. Top channel 1" x 1/2". Pickets 1/2" square iron welded to channels on 5" centers. Height adjustment for surface installation made by cutting off bottom of posts with a hacksaw.

32" STANDARD RAILING. Recommended installed height 32" from floor. Rail height from bottom of channel to top is 2'-5". All railing posts are 1" square heavy gauge steel

tubing 2'-11" long except bottom end posts Nos. 7 and 7LT and Intermediate Step Post No. 9 which are necessarily longer.

Colonel Logan Step Rails are pre-pitched to comply with basic step construction. Adjustable; can be racked to fit most step rail installations.

All items are finished one shop coat blue gray. Need only one finish coat of paint.



To adjust for step angle, push or pull as illustrated.

WALL END FITTINGS




No. 4
For Porch Rails.
Two needed.
Wt. 2 oz.
\$0.45 ea.



No. 4-S
For Step Rails.
Two needed.
Wt. 6 oz.
\$0.85 ea.



No. L-6
For Step Rails.
Two needed.
Wt. 13 oz.
\$1.20 ea.



No. R-8
For Step Rails.
Two needed.
Wt. 13 oz.
\$1.20 ea.

*No. L-6 and No. R-8 fittings are used at the top of steps to attach step railing to side of wall or column when post is not used.

UPPER END FITTINGS



No. BP-1
BASE PLATE
For any surface installation.
Wt. 13 oz.
\$1.10 ea.



No. CS-2
SLIP SHOE
A cast iron cover shoe.
Use for added decoration on post set in concrete.
Wt. 7 oz.
\$0.40 ea.




No. CA-1
BASE PLATE
For surface installation of SP-8 Rail Support.
Wt. 2 oz.
\$0.65 ea.

BASE PLATES



No. SP-8
RAIL SUPPORT
Can use in place of No. 2 post for added support.
Can mount with CA-1 Base Plate.
1/2" square iron.
Ht. 8". Wt. 8 oz.
\$1.50 ea.




No. RB-2
RAIL BRACE
Adds rigidity, fastens to post and floor. 3 holes for installing. 1/4" x 1" flat. Height 1'9". Width 4".
Wt. 2 lbs.
\$1.50




Colonel Logan STANDARD SIZE RAILING POSTS

For Porch Railings




No. 1-LT (Lambs Tongue) End Post Wt. 3 lbs. \$3.10	No. 1 End Post Wt. 3 lbs. \$2.65	No. 2 Intermediate Post Wt. 3 lbs. \$2.90	No. 3 Corner Post Wt. 3 lbs. \$3.45
--	---	--	--

For Combination Porch and Step Rail



No. 5 Upper Post Wt. 3 lbs. \$3.30	No. 6 Left Corner Post Wt. 3½ lbs. \$4.00	No. 8 Right Corner Post Wt. 3½ lbs. \$4.00
---	--	---

For Step Railings



No. 7C1 Lower End Step Post Wt. 4 lbs. \$3.55	No. 5-A-LT (Lambs Tongue) Upper End Post Wt. 3½ lbs. \$3.55	No. 5-A Upper End Post Wt. 3 lbs. \$3.05	No. 9 Intermediate Post Wt. 3 lbs. \$3.85	No. 7 Lower End Post Wt. 3 lbs. \$2.90	No. 7-LT (Lambs Tongue) Lower End Post Wt. 3½ lbs. \$3.40
--	---	---	--	---	---


Porch Rail Posts are 35" long over-all — with 3" allowance for installation in concrete.

RAILING ORNAMENTS								<p>TO APPLY WROUGHT IRON ORNAMENTS except 0-41. Secure with set screws to plain pickets. Cannot be used with economy railing.</p>
Number Material Size Weight Price	"S" 3/16" x 1/2" flat 6" x 7" 1 lb. \$1.10	"D" 3/16" x 1/2" flat 7" x 10" 1 lb. \$1.80	0-26 3/16" x 1/2" flat 8" x 11" 1 lb. \$1.85	0-48 3/16" x 1/2" flat 7 1/2" x 22" 2 lbs. \$2.20	0-46 3/16" x 1/2" flat 7" x 24 3/4" 2 lbs. \$2.40	LS 3/16" x 1/2" flat 9" x 18 1/2" 2 lbs. \$2.95	LD 3/16" x 1/2" flat 8 3/4" x 22 3/4" 2 lbs. \$2.95	
RAILING ORNAMENTS								<p>TO APPLY CAST IRON ORNAMENTS and 0-41, drill hole through ornament and plain picket, secure with bolt (bolts not furnished) or weld. Cannot be used with economy railing.</p>
Number Material Size Weight Price	0-41 3/8" round 9" x 18 1/4" 2 1/2 lbs. \$3.10	0-S 3/16" x 1/2" flat 8 1/4" x 18 1/2" 2 lbs. \$3.25	0-44 Double face cast iron 6 3/4" x 21 1/2" 6 lbs. \$3.10	0-15 Double face cast iron 8" x 17 1/2" 7 lbs. \$3.10	0-42 Double face cast iron 6 3/4" x 18 3/4" 8 lbs. \$3.10	0-17 Double face cast iron 8 1/4" x 17" 8 1/2 lbs. \$3.30	0-56 Double face cast iron 8 3/8" x 15 1/4" 5 lbs. \$3.95	
NOTE: Weights shown on all items are actual shipping weights			NOTE: When ordering Posts with Ball or Urn add "B" for Ball, "U" for Urn in front of Post numbers. Can be ordered separately.				Colonel Logan Railings are Miniarc welded and phosphate cleaned for extra resistance to corrosion, and tough paint bond for lasting adhesion and durability.	
	BALL Cast with threaded stud bolt 2 3/4" high 1 lb. \$0.95 (add to post price)	URN Cast with threaded stud bolt 3 3/4" high 10 oz. \$0.95 (add to post price)			01 3/16" x 1" flat 6" x 2 3/8" 3 lbs. \$2.15 Two holes provided for installing.	02 3/16" x 1" flat 9" x 2 9/8" 5 lbs. \$2.80 Two holes provided for installing.		


IMPORTANT DETAILS AND FEATURES OF Colonel Logan RAILINGS




Detail of top
channel of
step railing




Easily fitted
to posts with
set screw




Move step
post fitting
for slight
adjustment




Posts for 32"
installed rail
set in concrete



1" posts
surface mounted
with BP-1
Base Plate



Posts are
drilled and
tapped to ac-
commodate
Ball and Urn
when specified



SP-8 Rail
Support set
in concrete




Colonel Logan IRON GRIP RAIL

PAT. NO. 3161425

Low cost—easy to install, for
SAFETY on every stairway

- Bonderized to resist rust; baked-on primer coat
- For interior or exterior installation
- Costs up to $\frac{2}{3}$ less than custom-made iron grip rail
- No welding, no special finishing; costs less to install than wood rail

What an attractive LOW COST way to make every stairway safe—inside or out. Used in homes, apartment buildings, hotel, motel, commercial buildings and institutions. Standard lengths—4', 8', 12', 16', 20'—can be cut to assure perfect fit on every wall. IMPORTANT FEATURE: Tapered Post permits installation to extend beyond stair wall when necessary.




Slim graceful style fits every hand for sure, comfortable grip—yet has that solid feel of SAFETY that's so important on any stairway.




	No.	Length	Weight	Price ea.
GRIP RAIL LENGTHS	GR-4	4'	3 lbs.	\$ 2.95
	GR-8	8'	6 lbs.	4.75
	GR-12	12'	9 lbs.	6.05
	GR-16	16'	13 lbs.	8.10
	GR-20	20'	16 lbs.	10.10




GR-C2
Slip Fit End Cap.
Two furnished no charge with each rail section.
Additional End Caps:
Wt. 1 oz.
\$0.20



GR-U4
Assembly for post
Wt. 2 oz.
\$0.55 ea.



GR-B1
Bracket assembly
Wt. 8 oz.
\$0.90 ea.




GR-P3 Post (Adjustable base plate included in price. Assembly for post priced separately.) Ht. 32". Wt. 3 lbs.
\$5.40



NEW GRIP RAIL RETURN SECTION

For attaching Grip Rail to wall. Makes a neater installation and adds extra safety to meet Municipal Code Requirements where hand rail returns are specified.


Specify right or left return.
GR-WR — Right return
GR-WL — Left return
Wt. 10 oz. \$2.05
Right return pictured above.



EXCLUSIVE MOUNTING BRACKET


PAT. NO. 3161425

For fast, easy installation on any type of wall. Features U-Clip Assembly that slides in hidden channel to fit any stud or bracket spacing, swivels to fit any stair pitch. Locks rigidly in position. Slip fit end caps eliminate costly end finishing. This is the most versatile, simplified and practical mounting system of any grip rail—and only Colonel Logan has it!



Colonel Logan ECONOMY RAIL


for low budget installations




EC-S Economy Scroll Ornament
Use to create many pleasing effects as shown. Pre-drilled for easy attachment.
12" long x $3\frac{1}{4}$ " width.
Wt. 12 oz.
\$0.65 ea.



No. EC-16 Angle Clip
Easy to bend for step installation. Two or four needed for each post. Bolts furnished. Purchase in any quantity or in bags of 4. (When ordering specify number of bags or single clips desired.)
Single Clip Wt. 2 oz. \$0.25
Bag of 4 Wt. 7 oz. \$0.85



No. EC-12 Post
Wt. 3 lbs.
Ht. 35 $\frac{3}{4}$ "
\$1.70 each



Easy to adjust for step angle



No. EC-18 Support
Install as shown or inverted under center of railing for extra strength $\frac{3}{16}$ " x $\frac{1}{2}$ " flat.
Wt. 3 oz.
\$0.65 each



No. BP-1 Base Plate
For any surface installation
Wt. 13 oz.
\$1.10 each



No. CS-2 Slip Shoe
For added decoration when post is set in concrete
Wt. 7 oz.
\$0.40 each




No. EC-LT Lambs Tongue Ornament
For end posts.
Wt. 7 oz.
\$0.80 each

Here's the best of the low priced railings for porch or steps. Improved construction for durable service. Top and bottom channels are 1" x $\frac{1}{2}$ ". Available in 4', 5' and 6' lengths. Height of rail, 2'5", or 2'8" when installed. Posts are square 1" steel tubing, 35 $\frac{3}{4}$ " high with pyramid shaped top. Installed height is 32". Posts are drilled to receive bolts on any side for securing railing with clips.

Installation instructions furnished. Colonel Logan gray base coat is best for applying finish paint.

No.	Length	Weight	Price ea.
EC-4	4'	13 lbs.	\$6.00
EC-5	5'	16 lbs.	7.45
EC-6	6'	20 lbs.	8.95




Colonel Logan

COMMERCIAL RAILING

Colonel Logan Commercial Railing is 42 inches high installed as shown, a full 10 inches higher than standard railings. This makes it high enough to meet most Municipal Building Code requirements.

Standard 10-ft. and 6-ft. lengths quickly fasten to posts and walls with setscrew fittings. Adjustable step rail pre-pitched to comply with basic step construction. Can be racked to fit most step rail installations. Except for height, material specifications are the same as for Colonel Logan 32" ht. Standard Railings. Standard ornaments and fittings apply. Finished one coat blue-gray primer.

INSTALLED
HEIGHT 42"



Nearly 12,000 ft. of Colonel Logan Commercial Railing adds beauty and safety to balconies and roof deck of luxurious Chevy Chase Plaza Apartments, Kensington, Md.

POSTS FOR COMMERCIAL RAILINGS — 10" longer than Posts for Standard Railings.

No. AH-1-LT (Lambs Tongue) End Post Wt. 5 lbs. \$3.60	No. AH-1 End Post Wt. 5 lbs. \$3.15	No. AH-2 Intermediate Post Wt. 5 lbs. \$3.40	No. AH-3 Corner Post Wt. 5 lbs. \$3.90	No. AH-5 Upper Post Wt. 5 lbs. \$3.80	No. AH-5-A Upper End Post Wt. 5 lbs. \$3.55
No. AH-5-ALT (Lambs Tongue) Upper End Post Wt. 5 lbs. \$4.05	No. AH-6 Left Corner Post Wt. 5 lbs. \$4.50	No. AH-7 Lower End Post Wt. 5 lbs. \$3.40	No. AH-7-LT (Lambs Tongue) Lower End Post Wt. 5 lbs. \$3.85	No. AH-8 Right Corner Post Wt. 5 lbs. \$4.50	No. AH-9 Intermediate Post Wt. 5 lbs. \$4.35

Step Rail — Plain Picket — 42" Ht.

No.	Ht.	Lgth.	Wt.	Price
AH-6-S	3'1"	6'0"	40 lbs.	\$19.40
AH-10-S	3'1"	10'0"	66 lbs.	\$31.25

Step Rail — Alternate Twist — 42" Ht.

No.	Ht.	Lgth.	Wt.	Price
AH-6-ST	3'1"	6'0"	40 lbs.	\$20.60
AH-10-ST	3'1"	10'0"	66 lbs.	\$32.45

Porch Rail — Plain Picket — 42" Ht.

No.	Ht.	Lgth.	Wt.	Price
AH-6-P	3'1"	6'0"	45 lbs.	\$17.45
AH-10-P	3'1"	10'0"	75 lbs.	\$28.15

Porch Rail — Alternate Twist — 42" Ht.

No.	Ht.	Lgth.	Wt.	Price
AH-6-PT	3'1"	6'0"	45 lbs.	\$18.65
AH-10-PT	3'1"	10'0"	75 lbs.	\$29.35


Railings, Posts and Wrought Iron Ornaments available at small extra cost in zinc plating for protection against extreme weather and salt spray condition. Ask your dealer.



Colonel Logan Porch and Step Railing—easy to install


STANDARD RAILING

Stock Size railing parts; railings available in 6' and 10' lengths.



DELUXE CONTOUR RAILING

Stock Size railing parts; railings available in 4', 5' and 6' lengths.





THE FIRST 4 STEPS ARE IDENTICAL FOR BOTH STANDARD AND CONTOUR RAILING

Just follow these easy step-by-step instructions, and you will have a sturdy, attractive railing installation you'll be proud of.




Step Railing is pre-pitched to fit most standard step construction. To adjust, place both feet on lower rail channel, and push or pull as needed. NOTE: Do not scissor the railing back and forth.

Typical Arrangements




STEP 1—Mark location for both porch and step rail posts. Be sure to set in at least 3" from edge to center of post to eliminate damage to concrete.


See typical arrangement diagrams at left.



STEP 2—Drill holes approximately 3" deep and about 1/4" larger all around than post size, with 1/4" star drill or carbon tipped masonry drill. This assures sturdy installation in concrete, stone or brick. (Base plates available for surface mounting).




STEP 3—Cut post to desired length; allow for levelling of railing in cases where holes are not exactly the same depth. Recommended installed height of railing is 32" from floor line.



STEP 4—Mark correct length by placing railing between posts, between column and post, or between house and post. After carefully checking length for accuracy, cut railing channels with hacksaw. *On Contour Rail, be sure to allow for fitting at top and bottom of posts.*


On Standard Rail




STEP 5—After cutting railing to proper length, slip railing sections into post fittings. Tighten set screws.

NOTE: Be sure to check all measurements carefully for accuracy before cutting with hacksaw.

On Deluxe Contour Rail Installation




STEP 5—(a) To attach rail to post, align inserts on post fitting against opening on end of contour top rail. Tap post lightly below fitting with hammer or rubber mallet forcing inserts into rail opening. Top inserts will then align bottom fitting of post into bottom rail channel. For



secure fit, tighten set screw on under-side of bottom post fitting with Allen wrench.

(b) Step post fittings may be adjusted to same pitch as step rail by tapping fitting up or down with hammer lightly. Attach Rail to post same as step (a).

Finally—on both types



STEP 6—Assemble rail and all posts. After rail is assembled and all fittings are tight, place in post holes, and plumb. Secure posts with lead or fast setting cement.

On Contour Rail

If desired, liquid metal or solder may be used at all connection lines.



Standard and Contour Railings are available in plain picket and alternate twist picket styles.



NOTE: Ornament shown is optional; not included in price of Window Guard.

Construction—Horizontal cross sections constructed of heavy $1\frac{1}{4}'' \times \frac{3}{8}''$ steel "C" channel. Sliding $1'' \times \frac{3}{8}''$ channel inserted inside permits adjustment to 4 ft. width. May be locked securely from inside by tightening recessed screw provided.

Standard Ornaments add graceful beauty


Pre-drilled. Attach to guard by drilling holes in picket and using screws provided. Two sizes available to fit 15" and 20" size Window Guard.

SGO-15 For SG-235 and SG-345 \$1.10
SGO-20 For SG-230 and SG-340 1.85

Tamper-proof
Cadmium-plated, non-reversible screws and wall plugs hold guard securely in place. Can't be removed from outside.

Easily Adjustable
Two basic widths fit windows from 2' to 4' wide. Easy to measure for perfect fit. Recessed screws may be loosened from inside only.

Dual-Purpose Brackets
Can be installed on the outside of frame or within frame under upper sash. Install on wood, aluminum or masonry.



Graceful beauty plus tamper-proof security on easily accessible windows of homes or apartments




Stan Gard STEEL WINDOW GUARDS

- Low cost, standard sizes assure maximum economy
- Can be installed easily, quickly; no special tools required
- Adjustable length; two basic widths fit window openings up to 4' wide
- Tamper-proof installation with non-reversible screws
- No interference with use of screens or storm sash

Don't worry about the rising crime rate and the wave of break-ins sweeping the country today. Feel safe — secure — when you install strong, tamper-proof steel Stan-Gard Window Guards at every window where easy entry is an invitation to intruders. With Stan-Gard there is never a problem of an unlocked window to provide access into your home. Put Stan-Gards on — and feel *safe!* Tamper-proof brackets prevent removal by anyone standing outside the house. Yet anyone can remove them easily from inside the house — a convenience for window washing days. Finished in durable black. Four adjustable sizes.



Stock No.	Adjustment Sizes for Window Openings	Over-all Height	Weight	List Price Each
#SG-235	2'-0" to 3'-0"	15"	8 lbs.	\$ 9.40
#SG-230	2'-0" to 3'-0"	20"	9 lbs.	10.25
#SG-345	3'-0" to 4'-0"	15"	10 lbs.	11.85
#SG-340	3'-0" to 4'-0"	20"	11 lbs.	12.55




Colonel Logan ENTRANCE RAIL

Designed exclusively for entrance ways. Ready to put up, completely fabricated. Lengths 32", 38", 44" and 50". Height installed: 32". Pickets $\frac{1}{2}''$ sq. solid steel; posts 1" sq. steel tubing. Finished in blue-gray base coat.

	No.	Length	Weight	Price each Single rail
PLAIN PICKET	E-32	32"	18 lbs.	\$ 8.90
	E-38	38"	19 lbs.	9.40
	E-44	44"	24 lbs.	11.00
	E-50	50"	25 lbs.	11.50
ALTERNATE TWIST	E-32-T	32"	18 lbs.	\$ 9.50
	E-38-T	38"	19 lbs.	10.15
	E-44-T	44"	24 lbs.	12.00
	E-50-T	50"	25 lbs.	12.40


IMPORTANT: Order Entrance Railings at least 3" less than length of porch. Order two rails if pair is needed.




Colonel Logan ROOM DIVIDER

Standard Size

Smart new decorator touch used by many leading interior designers. Column height 8'2"; adjustable base. Railing installed ht. 38" — includes $7\frac{1}{8}''$ adjustment at bottom. Length of rail 4'; column width 12"; over-all lengths from wall 5'. Base plates and slip shoes furnished. Finished one coat blue-gray. Shipped knock-down.



No. RDCR-49
Wt. 60 lbs.
\$36.45




Colonel Logan GATE ASSEMBLY

Standard Size

2 Heights . . . for Colonel Logan Standard and Commercial Railing

The three parts shown here, plus stock railing posts and stock railing section cut to desired length, make up a complete gate. Railing section secures to Hinge section and Latch section with set screws. Finished blue gray base coat.




No. SGA-1-32" Wt. 10½ lbs. \$11.45
No. SGA-1-42" Wt. 12½ lbs. \$12.85

NOTE: Railings and posts not furnished with gate assembly.



Colonel Logan STANDARD SIZE ORNAMENTAL IRON SHUTTERS

What a beautiful and thrifty way to add distinction to windows, and make your home stand out with true individuality. Standard sizes fit almost all windows. Available in four heights, four popular designs that match Colonel Logan Ornamental Iron columns. Finished in blue gray base paint.



15-JS

17-JS

52-JS


41-JS & 41-NS



Number Size Wt. (approx.) Price each	15-JS-39 12" x 39" 22 lbs. \$17.20	17-JS-39 12" x 39" 23 lbs. \$17.10	52-JS-39 12" x 39" 19 lbs. \$16.55	41-JS-39 12" x 39" 10 lbs. \$10.75	41-NS-39 9" x 39" 9 lbs. \$9.10
Number Size Wt. (approx.) Price each	15-JS-47 12" x 47" 27 lbs. \$21.15	17-JS-47 12" x 47" 27 lbs. \$20.55	52-JS-47 12" x 47" 23 lbs. \$19.85	41-JS-47 12" x 47" 12 lbs. \$11.35	41-NS-47 9" x 47" 11 lbs. \$9.60
Number Size Wt. (approx.) Price each	15-JS-51 12" x 51" 29 lbs. \$21.65	17-JS-51 12" x 51" 31 lbs. \$20.65	52-JS-51 12" x 51" 25 lbs. \$20.25	41-JS-51 12" x 51" 13 lbs. \$12.45	41-NS-51 9" x 51" 12 lbs. \$10.55
Number Size Wt. (approx.) Price each	15-JS-55 12" x 55" 31 lbs. \$22.05	17-JS-55 12" x 55" 33 lbs. \$21.50	52-JS-55 12" x 55" 27 lbs. \$21.05	41-JS-55 12" x 55" 14 lbs. \$13.05	41-NS-55 9" x 55" 13 lbs. \$11.05

SHUTTER PRICED PER UNIT — NOT PAIRS

SPECIAL HEIGHT SHUTTERS — Custom made sizes available up to 82" height in both 9" and 12" widths to match Colonel Logan columns. See your dealer or write for full information.




Colonel Logan Ornamental Iron Columns with matching Mail Box Stands make a perfect tie-in for decorative beauty.

Colonel Logan MAIL BOX STANDS

Four smart styles — meet Post Office specifications

Posts match Colonel Logan Ornamental Iron Columns. Heavy 1 in. sq. tubing. Over-all height 4 ft. 6 in.; Height installed 3 ft. 6 in. Over-all width of Nos. MB-41, MB-17, MB-49 is 9 in., No. MB-S4 is 16 in. Top attachment plate drilled to fit standard mailboxes (mailbox not included). Install in concrete 1 ft. below ground. Finished in blue-gray primer coat.



No. MB-17
Curly Oak
Wt. 22 lbs.
\$13.55

No. MB-41
Scroll and
Leaf
Wt. 12 lbs.
\$10.00

No. MB-49
Double
Scroll
Wt. 10 lbs.
\$7.50

No. MB-S4
Scroll
Wt. 5½ lbs.
\$4.05

All prices and specifications subject to change without notice.



Colonel Logan
Ornamental Iron
LOGAN CO.
200 Cabel St.
Louisville, Ky. 40206

BUFFALO WHOLESALE SUPPLY CO., INC.
19 SCOTT ST.
BUFFALO 3, N. Y.

Litho in U.S.A.